	Application No.	Applicant(s)
Notice of Allowability	10/717,276	TOKARZ ET AL.
	Examiner	Art Unit
	Mark Halpern	1731
	магк пагретт	1731
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Response received 5/21/2007</u> .		
2. The allowed claim(s) is/are <u>38-47</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. Information Disclosure Statements (PTO/SB/08),	7. Examiner's Amendr	nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. 🗌 Other	
·		
		•

Application/Control Number: 10/717,276 Page 2

Art Unit: 1731

1) The following is an examiner's statement of reasons for allowance:

The primary reason for allowance is that the cited prior art does not disclose a cellulosic product comprising clay having 3R₂ stacking (claim 38).

The clay of 3R₂ stacking is a structural feature. The Specification defines the clay having 3R₂ stacking on pg. 5, lines 1-17: the "3R₂ clay suitably has a three-layer repeat. The 3R₂ stacking polytype of clay has a different layer arrangement/stacking than the 3R1 stacking polytype, herein also referred to as "3R₁ clay". The 3R₁ and 3R₂ clays can be distinguished from each other by X-ray diffraction/reflections patterns by the intensities of the 107 and 108 _{dhkl} reflections......Furthermore, the clay having 3R₂ stacking has a different morphology compared to that of conventional 3R₁ clays, as can be detected by the SEM examinations. The 3R₂ clay appears to have a structure with 15 irregular flake-like platelets which are randomly agglomerated, whereas the conventional and prior art 3R₁ clays have regular well-formed layers of platelets which are arranged in the usual book-stack form."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2) Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Halpern whose telephone no. is 571-272-1190.

/Mark Halpern/ Primary Examiner Art Unit 1731